

DISCLAIMER

This report has been reviewed by the Office of Air Quality Planning and Standards (OAQPS), U. S. Environmental Protection Agency (EPA), and approved for publication. This OAQPS Staff Paper contains the findings and conclusions of the staff of the OAQPS and does not necessarily represent those of the EPA. Mention of trade names or commercial products is not intended to constitute endorsement or recommendation for use.

ACKNOWLEDGEMENTS

This Staff Paper is the product of the Office of Air Quality Planning and Standards (OAQPS). For the primary standards, the principal authors include John Bachmann, Dr. Jane C. Caldwell, Patricia D. Koman, Harvey M. Richmond, Eric G. Smith of OAQPS, Dr. Tracey J. Woodruff of the Office of Policy, Planning and Evaluation (OPPE), and Dr. Karen M. Martin of OAQPS who also managed the project. For the secondary standards, principal authors include Rich Damberg, Chebryll Edwards, and Bruce Polkowsky of OAQPS. The authors would like to acknowledge John Haines for his guidance and expertise, and Terence Fitz-Simons, Jonathan Miller, David Mintz, and Miki Wayland for providing expertise and analysis. Finally, the authors wish to acknowledge Tricia Crabtree for providing substantial wordprocessing and general support for the Staff Paper. The Staff Paper includes comments from OAQPS, the Office of Research and Development, OPPE, Regional Offices, and the Office of General Counsel within EPA.

On two different occasions, draft chapters of this document were formally reviewed by the Clean Air Scientific Advisory Committee (CASAC). Helpful comments and suggestions were also submitted by a number of independent scientists, by officials from several State and local air pollution organizations, by environmental groups, by industrial groups, and by individual companies.

TABLE OF CONTENTS

List of Tables	vii
List of Figures	xiii
I. PURPOSE	I-1
II. BACKGROUND	II-1
A. Legislative Requirements	II-1
B. History of PM NAAQS Reviews	II-3
1. Establishment of the NAAQS for Particulate Matter	II-3
2. First Review of NAAQS for Particulate Matter	II-3
3. Recent Litigation	II-4
4. Current Review of the Particulate Matter NAAQS	II-4
III. APPROACH	III-1
A. Bases for Initial Analytical Assessments	III-1
1. Primary Standards	III-1
2. Secondary Standards	III-2
B. Organization of Document	III-2
IV. AIR QUALITY: CHARACTERIZATION AND IMPLICATIONS	IV-1
A. Characterization of U.S. Ambient Particulate Matter	IV-1
1. Multi-modal Size Distributions	IV-2
2. Properties of Fine and Coarse Fraction Particles	IV-4
a. Sources and Formation Processes	IV-4
b. Chemical Composition, Solubility, and Acidity	IV-5
c. Atmospheric Behavior	IV-6
d. Correlations Between PM _{2.5} and Coarse Fraction Mass	IV-7
e. Summary	IV-8
B. PM Air Quality Patterns	IV-8
1. PM Concentrations and Trends	IV-8
a. PM ₁₀ Concentrations and Trends	IV-8
b. Fine Particle Concentrations and Trends	IV-9
c. Trends in Emissions of Fine Particle Precursor Gases	IV-11
2. Background Levels	IV-12

C.	Air Quality Implications for Interpreting Epidemiological Studies	IV-14
1.	Representativeness of Central Monitor Measurements of PM Exposures	IV-15
2.	PM _{2.5} and PM ₁₀ Comparisons in Areas Relevant to the Health Studies	IV-16
D.	Air Quality Implications for Risk Management Strategies	IV-17

V. CRITICAL ELEMENTS IN THE REVIEW OF THE PRIMARY

STANDARDS	V-1
A. Introduction	V-1
B. Mechanisms	V-2
C. Nature of Effects	V-8
1. Mortality	V-11
a. Mortality from Short-term Exposures to PM	V-11
i. Historical Findings from Community Epidemiology	V-11
ii. Recent Findings	V-12
iii. Specific Causes of Mortality Associated with PM	V-13
iv. Experimental Animal Studies	V-14
b. Mortality from Long-term Exposures to PM	V-14
c. Extent of Life Shortening	V-18
2. Indices of Morbidity Associated with Respiratory and Cardiovascular Disease	V-20
a. Hospital Admissions and Emergency Department Visits	V-20
b. School Absences, Work Loss Days, and Restricted Activity Days	V-21
3. Altered Lung Function and Symptoms	V-22
a. Effects Related to Short-term Exposures to PM	V-22
i. Community Air Pollution Studies	V-22
ii. Controlled Exposures to Laboratory Aerosols	V-23
b. Effects Related to Long-Term Exposures	V-26
4. Morphological Damage	V-27
a. Acid Aerosols	V-27
b. Silica, Crustal Dusts, and Other PM Components	V-28
5. Effects on Host Defense Mechanisms	V-29
D. Sensitive Subpopulations	V-31
1. Individuals with Respiratory and Cardiovascular Disease	V-33
2. Individuals with Infections	V-34
3. The Elderly	V-34
4. Children	V-35
5. Asthmatic Individuals	V-35

E.	Evaluation of the Epidemiological Evidence	V-36
1.	Interpretation of Individual PM Study Results	V-38
a.	Model Selection and Specification	V-38
b.	Measurement Error	V-39
c.	Potential Influence of other Covariates in Short-Term Studies	V-43
i.	Weather	V-44
ii.	Confounding by Other Pollutants	V-45
2.	Consistency and Coherence of the Epidemiological Studies	V-54
a.	Consistency	V-54
b.	Coherence	V-56
F.	Health Effects Associated with Fine and Coarse Fraction Particles	V-58
1.	Epidemiological Studies Using Fine Particle Indicators	V-60
a.	Short-Term Studies	V-60
b.	Long-Term Studies	V-61
2.	Community Studies Comparing Effects of Fine and Coarse Fraction PM	V-63
a.	Short-Term Comparisons.	V-63
b.	Long-Term Comparisons.	V-65
3.	Epidemiological Studies of Areas Dominated by Coarse Particles	V-67
4.	Relevant Physicochemical Differences Between Fine and Coarse Fraction Particles	V-69
a.	Comparisons of Fine and Coarse Component Toxicity in Laboratory Studies.	V-69
b.	Toxicity of Fine and Coarse Mode Chemical Components	V-71
c.	Physical Aspects of Fine and Coarse Particles	V-73
d.	Deposition in Sensitive Individuals	V-75
5.	Summary and Conclusions	V-76
VI.	RISK ASSESSMENT	VI-1
A.	General Scope	VI-2
B.	Components of the Risk Model	VI-4
1.	Air Quality Information	VI-4
2.	Concentration-Response Functions	VI-11
3.	Baseline Health Effects Incidence Rates	VI-20
4.	Limitations and Uncertainties	VI-24
C.	Risk Estimates for Philadelphia and Los Angeles Counties	VI-25
1.	Base Case Risk Estimates Associated with "As Is" PM Levels . . .	VI-25
a.	Philadelphia County	VI-26
b.	Los Angeles County	VI-27
c.	Key Uncertainties	VI-31
2.	Base Case Risk Estimates Upon Attainment of Current Standards . .	VI-31

3.	Uncertainty Analyses of Estimated Risks Associated with "As Is" PM Levels in Philadelphia County and Attaining Current PM ₁₀ Standards in Los Angeles County	VI-35
a.	Sensitivity Analyses of Individual Key Uncertainties	VI-35
b.	Integrated Uncertainty Analysis	VI-38
4.	Risk Estimates Associated with Alternative PM _{2.5} Standards	VI-44
a.	Base Case Risk Estimates	VI-44
b.	Individual Sensitivity Analysis Concerning Air Quality Rollback	VI-53
c.	Integrated Uncertainty Analysis	VI-54
5.	Key Observations from the Risk Analyses	VI-58

VII. STAFF CONCLUSIONS AND RECOMMENDATIONS ON PRIMARY

NAAQS	VII-1
A. Adequacy of the Current Primary Standards for Particulate Matter	VII-2
B. Alternative PM Indicators and Risk Management Implications	VII-4
1. PM ₁₀ as Surrogate Indicator for Fine and Coarse Fraction Particles	VII-4
2. Alternative Surrogate Indicators for Fine and Coarse Fraction Particles	VII-11
a. Surrogate Indicators for the Fine Fraction of PM ₁₀	VII-12
b. Surrogate Indicators for the Coarse Fraction of PM ₁₀	VII-16
3. Staff Conclusions and Recommendations for Particle Indicators	VII-17
C. Alternative PM _{2.5} Standards for Control of Fine Fraction Particles	VII-18
1. Averaging Time	VII-18
a. Short-term PM _{2.5} Standard	VII-19
b. Long-term PM _{2.5} Standard	VII-20
2. Form -- General Approaches	VII-21
a. 24-Hour PM _{2.5} Standard	VII-21
b. Annual PM _{2.5} Standard	VII-22
3. Level and Specific Forms	VII-22
a. 24-Hour PM _{2.5} Standard	VII-24
b. Annual PM _{2.5} Standard	VII-32
D. Alternative PM ₁₀ Standards for Control of Coarse Fraction Particles	VII-37
1. Averaging Time	VII-37
2. Level and Form for Alternative Averaging Times	VII-38
a. Annual PM ₁₀ Standard	VII-38
b. 24-Hour PM ₁₀ Standard	VII-39
3. Summary of Coarse Fraction (PM ₁₀) Standard Conclusions and Recommendations	VII-40
E. Summary of Key Uncertainties and Research Recommendations	VII-41
F. Summary of Staff Recommendations on Primary PM NAAQS	

VIII. CRITICAL ELEMENTS IN THE REVIEW OF THE SECONDARY STANDARD FOR PARTICULATE MATTER	VIII-1
A. Introduction	VIII-1
B. Effects of PM on Visibility	VIII-2
1. Definition of Visibility and Characterization of Visibility Impairment	VIII-2
2. Significance of Visibility to Public Welfare	VIII-3
3. Mechanisms of and Contributors to Visibility Impairment	VIII-3
4. Background Levels of Light Extinction	VIII-5
a. Rayleigh Scattering	VIII-6
b. Light Extinction Due to Background Particulate Matter	VIII-6
5. Overview of Current Visibility Conditions	VIII-7
a. Role of Humidity in Light Extinction	VIII-9
b. Significance of Anthropogenic Sources of Fine Particles	VIII-10
c. Regional Differences in Specific Pollutant Concentrations	VIII-11
d. Regional Variation in Urban Visibility	VIII-11
6. Policy Considerations Pertaining to the Effects of PM on Visibility	VIII-12
C. Effects of PM on Materials Damage and Soiling	VIII-15
1. Materials Damage	VIII-15
a. Effects on Metals	VIII-16
b. Effects on Paint	VIII-17
c. Effects on Stone	VIII-18
d. Effects on Electronics	VIII-19
2. Staff Considerations Pertaining to the Effects of PM on Materials Damage	VIII-19
3. Soiling	VIII-19
4. Societal Costs	VIII-22
a. Soiling/Property Value	VIII-22
b. Soiling/Materials	VIII-23
5. Staff Considerations Pertaining to the Effects of PM on Soiling	VIII-24
D. Summary of Staff Conclusions and Recommendations on Secondary NAAQS	VIII-24
APPENDIX A	Considerations in Selecting Particle Size Cut Point for Fine Particles
	A-1
APPENDIX B	Measurement Methods from Epidemiology Studies
	B-1
APPENDIX C	PM ₁₀ National Concentration Maps and Definitions of Regions
	C-1

APPENDIX D	I. Hypothetical Mechanisms of Action for PM	D-1
	II. Extrapolation of Results From Laboratory Studies to Those Of Epidemiologic Studies: Strength and Limitations Of Controlled Human and Animal Studies	D-10
APPENDIX E	Concentration-Response Relationships for Model Sensitivity Analysis in Risk Assessment	E-1
APPENDIX F	Sensitivity Analyses of Key Uncertainties in the Risk Assessment .	F-1
APPENDIX G	Measures of Visibility Impairment and Light Extinction	G-1
APPENDIX H	Clean Air Scientific Advisory Committee Closure Letters	H-1

LIST OF TABLES

<u>Number</u>		<u>Page</u>
IV-1	Particle Size Fraction Terminology Used in this Staff Paper	IV-3a
IV-2	Comparison of Ambient Fine and Coarse Mode Particles	IV-4a
IV-3	PM ₁₀ and PM _{2.5} Regional Background Levels	IV-13
IV-4	PM _{2.5} Concentrations in Selected Cities	IV-17a
IV-5	Summary of PM ₁₀ Non-Attainment Areas by Source Type	IV-19
IV-6	PM ₁₀ NAAQS Implementation Case Studies Summary	IV-19a
V-1	Modeled 24-Hr Regional Deposition for Measured Ambient Particle Size Distributions	V-4
V-2	Hypothesized Mechanisms of PM Toxicity	V-6
V-3	Estimated Mortality Increase Per 50 µg/m ³ Increase in 24-h PM ₁₀ Concentrations from U.S. Studies	V-13a
V-4	Comparison of Total Mortality With Age- and Cause-Specific Mortality for Short-Term Exposure Studies	V-13b
V-5	Relative Risk Between the Most Polluted and Least Polluted Cities for Total Population and Former and Current Smokers in the Prospective Cohort Studies	V-14a
V-6	Estimated Increased Hospital Admissions for the Elderly Per 50 µg/m ³ Increase in 24-h PM ₁₀ Concentrations from U.S. and Canadian Studies . .	V-20a
V-7	Estimated Lung Function Changes and Respiratory Symptoms per 50 µg/m ³ Increase in 24-h PM ₁₀ Concentrations from U.S. and Canadian Studies	V-22a
V-8	Morbidity Effects Estimates Per Increments in Annual Mean Levels of Fine/Thoracic Particle Indicators from U.S. and Canadian Studies . . .	V-26a

LIST OF TABLES (Cont'd.)

<u>Number</u>		<u>Page</u>
V-9	Qualitative Summary of Recent PM Community Epidemiologic Results for Short and Long-Term Exposure	V-32
V-10	Quantitative Coherence of Acute Mortality and Hospitalization Studies . .	V-57a
V-11	Short-Term Exposure Epidemiological Studies Of Mortality Using Optical Fine Particle Indicators	V-60
V-12	Fine Particle Indicator (PM _{2.5} , SO ₄ , H ⁺) Effects Studies from the U.S. and Canada	V-60b
V-13	Effect Estimates Per Increments in Annual Mean Levels of Fine/Thoracic Particle Indicators from U.S. and Canadian Studies	V-61a
V-14	Estimated Increase in Daily Mortality, 95% CI, and t Statistic by City and Combined Estimate Associated with a 10 µg/m ³ Increase in Particulate Mass Concentrations. Effect of Each Particle Mass Measure Associations Estimated Separately, Controlled for Long-Term Trends and Weather	V-63a
VI-1	Cities Examined in PM Risk Analysis	VI-6
VI-2	Selected Epidemiological Studies and Associated Relative Risk Estimates Used in Risk Analyses	VI-12
VI-3	Concentration-Response "Cutpoints" Examined in Uncertainty Analyses .	VI-18
VI-4	Relevant Population Sizes for Philadelphia County and Southeast Los Angeles County	VI-22
VI-5	Baseline Health Effects Incidence Rates	VI-23
VI-6	Estimated Annual Health Risks Associated with "As Is" PM Concentrations in Philadelphia County, September 1992-August 1993 (for base case assumptions)	VI-28

LIST OF TABLES (Cont'd.)

<u>Number</u>		<u>Page</u>
VI-7	Estimated Annual Health Risks Associated with "As Is" PM Concentrations in Southeast Los Angeles County, 1995 (for base case assumptions)	VI-30
VI-8	Estimated Annual Health Risks Associated with Attainment of Current Standards in Southeast Los Angeles County, 1995 (for base case assumptions)	VI-33
VI-9	Summary of Selected Sensitivity Analyses on Estimates of Risk Associated with PM in Philadelphia County	VI-37
VI-10	Summary of Uncertainties Incorporated Into Integrated Uncertainty Analysis	VI-40
VI-11a	Controlling Monitors for Rollbacks to Attain Alternative PM-2.5 Standards	VI-45
VI-11b	Controlling Standards and Percent Rollbacks Necessary to Attain Alternative PM _{2.5} Standards	VI-45
VI-12a	Estimated Changes in Health Risks Associated with Meeting Alternative PM-2.5 Standards in Philadelphia County, September 1992 - August 1993 (for base case assumptions)	VI-46
VI-12b	Estimated Changes in Health Risks Associated with Meeting Alternative PM-2.5 Standards in Philadelphia County, September 1992 - August 1993 (for base case assumptions)	VI-47
VI-13a	Estimated Changes in Health Risks Associated with Meeting Alternative PM-2.5 Standards in Southeast Los Angeles County, 1995 (for base case assumptions)	VI-48
VI-13b	Estimated Changes in Health Risks Associated with Meeting Alternative PM-2.5 Standards in Southeast Los Angeles County, 1995 (for base case assumptions)	VI-49
VI-14	Sensitivity Analysis: Effect of Alternative Rollback Methods on Mortality Estimates Short-term Exposure (Pooled Function) and Long-term Exposure PM-2.5 Mortality Functions. Philadelphia County,	

September 1992-August 1993	VI-50
--------------------------------------	-------

LIST OF TABLES (Cont'd.)

<u>Number</u>		<u>Page</u>
VII-1	Percentage of Counties Not Meeting Alternative PM ₁₀ Standards	VII-8
VII-2	Predicted Percentage of Counties Not Meeting Alternative PM _{2.5} Standards	VII-26
VII-3	Predicted Comparison of Alternative Forms for a 24-Hour PM _{2.5} Standard	VII-30
VII-4	Comparison of Alternative Forms for a 24-Hour PM ₁₀ Standard	VII-41
VIII-1	Comparison of Residential Visibility Valuation Study Results	VIII-3a
VIII-2	Average Natural Background Levels of Aerosols and Light Extinction	VIII-6a
VIII-3	Dry Particle Light Extinction Efficiency Values Used in 1996 Analysis of IMPROVE Data	VIII-9
VIII-4	Comparison of Total Light Extinction to Estimated Background Light Extinction for Several Eastern and Western Locations	VIII-10b
VIII-5	Visibility Model Results: Anthropogenic Light Extinction Budgets	VIII-11a
VIII-6	Percentage Contribution by Source Category to Fine Particle (and Precursor) Emissions in the East, Southwest, and Northwest	VIII-11b
VIII-7	Percentage Contributions of Aerosol Constituents to Annual Average Total Light Extinction in the Washington, DC and Southern California Areas	VIII-12
E-1	Potential Concentration Cutpoints of Interest for Assessing the Sensitivity of Risk Estimates Derived from Short-Term Exposure Studies	E-6a

E-2	Relationship Between Relative Risk of Death and PM-10 in Utah Valley	E-7a
-----	--	------

LIST OF TABLES (Cont'd.)

<u>Number</u>		<u>Page</u>
E-3	Potential Concentration Cutpoints of Interest for Assessing the Sensitivity of Risk Estimates Derived from Long-Term Exposure Studies	E-10a
F-1a	Sensitivity Analysis: The Effect of Alternative Background Levels on Predicted Health Effects Associated with "As-Is" PM-10 Philadelphia County, September 1992-August 1993	F-1a
F-1b	Sensitivity Analysis: The Effect of Alternative Background Levels on Predicted Health Effects Associated with "As-Is" PM-2.5 Philadelphia County, September 1992-August 1993	F-1b
F-2	Sensitivity Analysis: Effect of Alternative Rollback Methods on Predicted Health Effects of PM-2.5. Philadelphia County, September 1992-August 1993	F-2a
F-3a	Sensitivity Analysis: The Effect of Alternative Cutpoint Models on Predicted Health Effects Associated with "As-Is" PM-10. Slope Adjustment Method 1. Philadelphia County, September 1992-August 1993	F-8a
F-3b	Sensitivity Analysis: The Effect of Alternative Cutpoint Models on Predicted Health Effects Associated with "As-Is" PM-10. Slope Adjustment Method 2. Philadelphia County, September 1992-August 1993	F-8b
F-3c	Sensitivity Analysis: The Effect of Alternative Cutpoint Models on Predicted Health Effects Associated with "As-Is" PM-2.5. Slope Adjustment Method 1. Philadelphia County, September 1992-August 1993	F-8c
F-3d	Sensitivity Analysis: The Effect of Alternative Cutpoint Models on Predicted Health Effects Associated with "As-Is" PM-2.5. Slope Adjustment Method 2. Philadelphia County, September 1992-August 1993	F-8d
F-3e	Sensitivity Analysis: The Effect of Differing Cutpoints on Estimated Mortality Associated with Long-term Exposure to PM-2.5. Philadelphia County, September 1992-August 1993	F-8e
F-4	Sensitivity Analysis: Effect of Combining Different Averaging Times	

in Pooled Short-Term Exposure Mortality Functions on Predicted Health Effects Associated with "As-Is" PM-10. Philadelphia County, September 1992-August 1993	F-11a
--	-------

LIST OF TABLES (Cont'd.)

<u>Number</u>		<u>Page</u>
F-5a	Sensitivity Analysis: Effect of Copollutants. Relative Risks for Change of 50 $\mu\text{g}/\text{m}^3$ PM-10 or 25 $\mu\text{g}/\text{m}^3$ PM-2.5	F-12a
F-5b	Sensitivity Analysis: Effect of Copollutants on Predicted Health Effects Associated with "As-Is" PM. Philadelphia County, September 1992-August 1993	F-12b
F-6	Sensitivity Analysis: The Effect of Concentration-Response Function Slope on Estimated Mortality Associated with Long-term Exposure to PM-2.5. Philadelphia County, September 1992-August 1993	F-14a

LIST OF FIGURES

<u>Number</u>		<u>Page</u>
IV-1	Idealized Distribution of Ambient Particulate Matter	IV-2a
IV-2	Distribution of Particles by Number, Surface Area, and Volume	IV-2b
IV-3	Major Constituents of PM _{2.5} , Coarse Fraction, and PM ₁₀ (CD, Figures 6-85a-c)	IV-5a
IV-4	Areas Designated Nonattainment for Particulates (PM-10)	IV-8a
IV-5a	PM-10 Trend, 1988-1993 (Annual Arithmetic Mean)	IV-9a
IV-5b	PM-10 Trend, 1988-1993 (90th Percentile)	IV-9a
IV-6	Fine Mass Concentration Derived from Nonurban IMPROVE/ NESCAUM Networks	IV-9b
IV-7	United States Trend Maps for the 75th Percentile Extinction Coefficient.	IV-10a
IV-8	Trends in Visibility and Sulfur Emissions in the Eastern U.S.	IV-11a
IV-9	Locations Where Community Epidemiology Studies Associating Short-Term PM Exposure with Mortality were Conducted in North America	IV-16a
V-1	Human Respiratory Tract PM Deposition Fraction Versus Mass Median Aerodynamic Diameter (MMAD) with Two Different Geometric Standard Distributions	V-3a
V-2	Relationship Between Relative Risk Per 50 µg/m ³ PM ₁₀ and Specific Causes of Mortality and Morbidity in Adults and Children	V-55a
V-3a	Relationship Between Relative Risk of Mortality Associated with PM-10 and Maximum Levels of SO ₂ , CO, NO ₂ , and Ozone	V-56a
V-3b	Relationship Between Relative Risk of Mortality Associated with PM ₁₀ and Mean Values of SO ₂ and NO ₂	V-56b

LIST OF FIGURES (Cont'd.)

<u>Number</u>		<u>Page</u>
V-4	Relative Risks of Acute Mortality in the Six City Study, for Thoracic Particles (PM ₁₀ , PM ₁₅), Fine Particles (PM _{2.5}) and Coarse Fraction Particles (PM ₁₅ -PM _{2.5})	V-63a
V-5	Adjusted Relative Risks for Mortality are Plotted Against Each of Seven Long-Term Average Particle Indices in the Six City Study, from Largest Range (Total Suspended Particles, Upper Right) Through Sulfate and Nonsulfate Fine Particle Concentrations (Lower Left)	V-65a
V-6	Age-Sex-Race Adjusted Mortality Rates from ACS Study Plotted Against Mean Sulfate and TSP Levels for U.S. Metropolitan Areas (Pope, 1995)	V-66a
V-7	% of Children with < 85% Normal FVC vs. Annual Fine and Coarse Fraction Mass in 24 City Study	V-67a
VI-1	Major Components of Particulate Matter Health Risk Analysis	VI-5
VI-2	Daily Average PM Concentration Frequencies Philadelphia County, September 1992 - August 1993	VI-8
VI-3	Daily Average PM-10 Concentrations for Southeast Los Angeles County, 1995	VI-9
VI-4	Daily Average PM-2.5 Concentration Frequencies for Southeast Los Angeles County, 1995	VI-10
VI-5	Schematic Representation of Alternative Interpretations of Reported Epidemiologic Relative Risk (RR) Findings with Regard to Possible Underlying PM Mortality Concentration-Response Functions (CD, Figure 13-5)	VI-17
VI-6	Slope Adjustment Methods Used in Sensitivity and Uncertainty Analyses	VI-19
VI-7	Effect of Several Uncertainties on Mortality Risk Associated With Short-Term Exposure to PM-2.5 in Philadelphia County	VI-41

LIST OF FIGURES (Cont'd.)

<u>Number</u>		<u>Page</u>
VI-8	Effect of Several Uncertainties on Mortality Risk Associated With Short-Term Exposure to PM-2.5 After Meeting Current PM-10 Standards in Los Angeles County	VI-43
VI-9	Effect of Several Uncertainties on Reductions in Mortality Risk Associated With Short-Term Exposure to PM-2.5 Upon Attaining PM-2.5 Standards of 15 $\mu\text{g}/\text{m}^3$ Annual and 50 $\mu\text{g}/\text{m}^3$ Daily in Los Angeles County	VI-55
VI-10	Effect of Several Uncertainties on Reductions in Mortality Risk Associated With Short-Term Exposure to PM-2.5 Upon Meeting Alternative PM-2.5 Standards in Los Angeles County	VI-57
VIII-1	Average Light Extinction Coefficient (in Mm^{-1}) for Each of the Reported Sites in the IMPROVE Network, 1992-1995	VIII-7a
VIII-2	Annual Average Visibility Impairment in Deciviews Calculated from Total Light Extinction (Rayleigh included), IMPROVE Network, 1992-1995	VIII-7a
VIII-3	Average $\text{PM}_{2.5}$ Mass Concentration (in $\mu\text{g}/\text{m}^3$) for Each Site in the IMPROVE Network, 1992-1995	VIII-8a
VIII-4	Average PM_{10} Mass Concentration (in $\mu\text{g}/\text{m}^3$) for Each Site in the IMPROVE Network, 1992-1995	VIII-8a
VIII-5	Fine Mass as a Percent of PM_{10} for Each Site in the IMPROVE Network, 1992-1995	VIII-8b
VIII-6a	Average Winter Visibility Impairment in Deciviews Calculated from Total Light Extinction (Rayleigh included), IMPROVE Network, 1992-1995	VIII-9a
VIII-6b	Average Spring Visibility Impairment in Deciviews Calculated from Total Light Extinction (Rayleigh included), IMPROVE Network, 1992-1995	VIII-9a
VIII-7a	Average Summer Visibility Impairment in Deciviews Calculated from Total Light Extinction (Rayleigh included), IMPROVE Network,	

1992-1995	VIII-9b
---------------------	---------

LIST OF FIGURES (Cont'd.)

<u>Number</u>		<u>Page</u>
VIII-7b	Average Autumn Visibility Impairment in Deciviews Calculated from Total Light Extinction (Rayleigh included), IMPROVE Network, 1992-1995	VIII-9b
VIII-8	Spatial Variation in Average Relative Humidity and the Sulfate Humidity Correction Factor	VIII-10a
VIII-9	Perceptible Change in Visibility as a Function of Fine Mass Concentration	VIII-10c
C-1	PM-10 Air Quality Concentrations, 1992-94	C-2
C-2	PM-10 Air Quality Concentrations, 1992-94	C-3
C-3	Regions Used in Air Quality Analyses in this Staff Paper	C-4
E-1	Relationship Between Relative Risk of Death and PM-10 in Birmingham	E-6b
E-2	Relationship Between Relative Risk of Death and PM-10 in Utah Valley .	E-6b
E-3	Relationship Between Relative Risk of Death and PM-10 in the Utah Valley	E-7a
E-4	Relationship Between Relative Risk of Pneumonia Admissions Among the Elderly and PM-10 in Birmingham	E-7b
E-5	Relationship Between Ischemic Heart Disease Admissions Among the Elderly and PM-10	E-7b
E-6	Relationship Between Relative Risk of Pneumonia Admission Among the Elderly and PM-10 in Detroit	E-8a
E-7	Relationship Between the Odds of Cough Incidence Versus PM-10 Concentration from the Six City Study	E-8b
E-8	Relationship of the Odds of Lower Respiratory Symptoms Incidence Versus PM-10 Concentration from the Six City Study	E-8b

E-9	Relationship Between Mortality Risk Ratios and Inhalable Particles (PM _{15/10}) in the Six City Study	E-10b
LIST OF FIGURES (Cont'd.)		

<u>Number</u>		<u>Page</u>
E-10	Relationship Between Mortality Risk Rate Ratios and PM-2.5 in the Six City Study	E-10b
E-11	Relationship Between Adjusted Mortality and PM-2.5 in the American Cancer Society Study	E-10c
F-1	Distribution of PM _{2.5} Concentrations and of Estimated Mortality Risks from Short-Term Exposures in Philadelphia County	F-5
F-2	Comparison of Smoothed Nonlinear and Linear Mathematical Models for Relative Risk of Total Mortality Associated with Short-Term TSP Exposure	F-10
G-1	Visual Range and Extinction Coefficient as a Function of Haziness Expressed in Deciview	G-4a